

Water Quality Bulletin of State Pollution Control Board, Odisha

Criteria for Satisfactory WC

DO >4.0 mg/l

BOD < 3 mg/l

TC < 5000 MPN/100 ml

FC < 2500 MPN/ 100 ml

River system : Mahanadi

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Sundargarh	1267	07.08.2019	3:00	27	7	6.4	0.5	8.7	490	78	Satisfactory	
2	Jharsuguda	1268	20.08.2019	10:30	26	6.8	7.6	1.3	15.6	1400	330	Satisfactory	
3	Brajrajnagar-U/S	1300	20.08.2019	11:10	26	6.9	8.2	0.8	8.6	700	220	Satisfactory	
4	Brajrajnagar-D/S	1269	20.08.2019	11:35	25	7	7.4	0.9	5.2	1100	330	Satisfactory	
5	Bheden	2403	20.08.2019	12:20	26	7.2	7.8	2	6.9	170	45	Satisfactory	
6	Hirakud	1281	17.08.2019	4:10	32	7.3	8	0.9	10.4	170	49	Satisfactory	
7	Sambalpur U/S	1270	17.08.2019	5:15	29	7.1	6.2	1	13.9	2800	1100	Satisfactory	
8	Sambalpur D/S	1271	17.08.2019	5:40	28	7.2	6.6	1.2	6.9	5400	1700	Unsatisfactory	TC
9	Sambalpur FD/S at Shankarmath	3887	17.08.2019	9:30	28	7.1	6.6	0.9	13.9	110	68	Satisfactory	
10	Sambalpur FD/S at Huma	2405	17.08.2019	10:50	29	7.1	6.8	1.9	15.6	130	68	Satisfactory	
11	Power Channel U/S	3888	17.08.2019	4:40	29	7.3	6.6	0.8	10.4	220	79	Satisfactory	
12	Power Channel D/S	2404	17.08.2019	5:00	29	7.3	6.4	0.8	10.4	350	110	Satisfactory	
13	Sonepur U/S	1272	17.08.2019	12:40	29	7.1	6.8	1	6.9	79	23	Satisfactory	
14	Sonepur D/S	1274	17.08.2019	1:20	31	7	6.2	1	6.9	130	33	Satisfactory	
15	Tikarpada	1275	06.08.2019	2:55	27	8	7.6	0.7	8.9	390	68	Satisfactory	
16	Narasinghpur	1276	06.08.2019	3:35	23	7.7	7.4	0.7	8.7	540	140	Satisfactory	
17	Munduli	2406	06.08.2019	11:45	26	7.6	7.2	0.8	8.7	1100	330	Satisfactory	
18	Cuttack U/s	1277	06.08.2019	11:10	25	7.5	7.3	0.8	10.5	1300	490	Satisfactory	
19	Cuttack D/s	1278	06.08.2019	10:30	25	7.6	4.8	0.9	12.2	3500	1100	Satisfactory	
20	Cuttack FD/s	3890	06.08.2019	10:10	25	7.8	8.1	0.9	12.2	2200	940	Satisfactory	
21	Paradeep U/S	2407	06.08.2019	3:10	30.6	7.3	7.4	1.9	10.7	790	110	Satisfactory	
22	Paradeep D/S	1639	06.08.2019	4:30	30.4	7.2	6.6	0.5	32.1	210	78	Satisfactory	
23	Ong river, Dhuruakhaman	3889	17.08.2019	4:20	31	7.1	6.2	0.9	8.7	40	12	Satisfactory	
24	Tel	2408	17.08.2019	2:15	32	7	6.8	0.4	8.7	46	11	Satisfactory	
25	Kathajodi U/S	3891	05.08.2019	11:00	27	7.7	7.2	0.9	12.2	640	140	Satisfactory	
26	Kathajodi D/S	1301	05.08.2019	4:20	27	7.6	7	1.9	15.7	5400	1700	Unsatisfactory	TC
27	Kathajodi FD/s (Mattagajpur)	3892	05.08.2019	12:15	27	7.5	5.3	1	7	3900	1300	Satisfactory	
28	Kathajodi FFD/s at Kamasasan	3893	05.08.2019	2:15	26	7.2	6.8	1	10.5	940	140	Satisfactory	
29	Sankhatrasa	2409	05.08.2019	3:30	26	7.9	7	1.2	10.5	3500	1100	Satisfactory	
30	Kuakhai FU/s	2410	02.08.2019	10:20	26	7.3	5.5	1.4	15.1	1100	330	Satisfactory	
31	Kuakhai U/s	1279	02.08.2019	10:45	25	7.7	6.1	1.8	17	3900	1700	Satisfactory	
32	Daya at Gelapur	3894	02.08.2019	11:30	27	7.3	5.5	1.1	13.2	3500	1300	Satisfactory	
33	Kuakhai D/s	1280	02.08.2019	2:40	25	7.5	4.7	1.8	18.9	35000	17000	Unsatisfactory	TC, FC
Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
34	Kuakhai FD/s	2411	02.08.2019	3:10	25	7.9	5.6	1.3	11.3	24000	11000	Unsatisfactory	TC, FC
35	Daya at Kanas	3895	07.08.2019	4:20	28	7.8	5.9	1.4	12.5	2200	1100	Satisfactory	
36	Birupa	1640	05.08.2019	11:30	28	7.2	6.8	0.6	8.7	1100	220	Satisfactory	
37	Gangua at Rajdhani College	3896	02.08.2019	9:40	27	7.5	5.5	0.7	15.1	160000	160000	Unsatisfactory	TC, FC
38	Gangua at Palasuni	3897	02.08.2019	11:05	27	7.8	4.6	1.2	18.9	160000	160000	Unsatisfactory	TC, FC
39	Gangua at Samantarapur	3898	02.08.2019	11:50	26	8	4.3	1.7	15.1	160000	160000	Unsatisfactory	TC, FC
40	Gangua at vadimula	3899										Satisfactory	
Not collected													
41	Kushabhadra at Bhingarpur	3903	07.08.2019	11:30	26.5	7.6	6.5	1.1	12.5	4300	2200	Satisfactory	
42	Kushabhadra at Nimapara	3904	07.08.2019	12:45	27	7.7	5.9	1.8	12.5	1400	700	Satisfactory	
43	Kushabhadra at Gop	3905	07.08.2019	1:25	27	7.6	7.9	0.3	8.9	1700	1100	Satisfactory	
44	Kendrapada U/s	3900	05.08.2019	12:30	30.7	7.7	6	0.9	12.5	1300	490	Satisfactory	
45	Kendrapada D/s	3901	05.08.2019	1:30	30.8	7.4	4.4	1	12.5	1700	490	Satisfactory	
46	Mangala at Malatipatpur	3906	05.08.2019	12:45	29	7.8	6.6	0.5	10.7	2200	700	Satisfactory	
47	Mangala D/s	3907	05.08.2019	3:45	28.5	7.7	5.7	2.2	21.4	2800	700	Satisfactory	
48	Bhargavi at Chandanpur	3908	05.08.2019	12:15	29	7.7	6	1.4	14.3	1700	790	Satisfactory	
49	Devi at Machhagaon	3902	06.08.2019	12:30	31.5	7.2	7	1.8	12.5	110	68	Satisfactory	
50	Luna at Bijipur	3912	07.08.2019	3:20	28	7.6	7.4	0.7	14.3	3500	1400	Satisfactory	
51	River Sabulia	3914	02.08.2019	2:00	21	8.4	6.5	1.3	17	5400	3500	Unsatisfactory	TC, FC
52	Kusumi	3913	02.08.2019	12:05	20	8.2	6.6	0.5	15.1	5400	3500	Unsatisfactory	TC, FC
53	River Kansari	3909	02.08.2019	1:10	21	8.2	6.5	0.8	13.2	4300	1700	Satisfactory	
54	River Badasankha	3910	02.08.2019	2:30	22	8.2	6.3	1.5	15.1	4300	2200	Satisfactory	
55	Ratnachira	3911	05.08.2019	11:35	27	7.7	6.5	1.6	10.7	1300	490	Satisfactory	

River system : Rushikulya

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Russelkunda Reservoir	3944	07.08.2019	5:00	20	6.9	8	0.8	15.7	3500	1100	Satisfactory	
2	Badanadi, Aska	3946	07.08.2019	3:00	23	7.1	6.6	2.3	12.2	2800	1700	Satisfactory	
3	Rushikulya, Aska	3945	07.08.2019	1:30	23	7	6	0.8	14	1100	490	Satisfactory	
4	Rushikulya at Nalabanta	3947	07.08.2019	12:30	23	7.2	5	2.4	17.5	3300	1400	Satisfactory	
5	Madhopur	1455	07.08.2019	11:00	21	7.1	5	1	8.7	2600	1100	Satisfactory	
6	Potagarh	1456	08.08.2019	10:00	20	7.4	7.5	0.2	10.5	1.8	1.8	Satisfactory	

River system : Baitarani

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	06.08.2019	12:40	22	7.5	6.3	1.1	8.7	540	170	Satisfactory	
2	Kusei at Deogaon	2421	08.08.2019	9:05	22	7.5	5.7	0.7	10.5	1700	700	Satisfactory	
3	Baitarani at Naigarh	3935	06.08.2019	8:20	21	7.4	5.8	0.7	7	330	78	Satisfactory	
4	Baitarani at Unchabali	3936	06.08.2019	9:55	21	7.4	6	1.2	10.5	210	68	Satisfactory	
5	Baitarani at Champua	3937	07.08.2019	9:40	19	7.3	7	0.7	12.2	400	110	Satisfactory	
6	Baitarani at Tribindha	3938	07.08.2019	11:20	21	7.4	6.3	0.5	7	470	140	Satisfactory	
7	Baitarani at Joda	1081	06.08.2019	5:40	21	7.5	5.8	0.5	7	940	220	Satisfactory	
8	Anandpur	1082	08.08.2019	8:40	21	7.4	6.8	0.4	5.2	1100	490	Satisfactory	
9	Jajpur	1083	02.08.2019	9:20	25	7.8	7.6	1.2	12.5	2200	790	Satisfactory	
10	Chandbali U/s	1084	07.08.2019	2:45	20	8.4	7.6	0.8	8.7	540	170	Satisfactory	
11	Chandbali D/s	10018	07.08.2019	3:15	20	8.4	7.6	0.5	8.7	940	350	Satisfactory	
12	Dhamra	1085	07.08.2019	11:30	20	7.3	8	0.4	34.9	540	240	Satisfactory	
13	Bhadrak U/s	3940	07.08.2019	5:45	17	6.8	6.8	0.5	7	1400	700	Satisfactory	
14	Bhadrak D/s	3941	07.08.2019	5:10	17	6.9	6	0.8	10.5	1700	790	Satisfactory	

River system : Brahmani

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Panposh U/s	1037	07.08.2019	2:30	27	6.8	6.5	2.3	14	2800	940	Satisfactory	
2	Panposh D/S	1038	07.08.2019	1:40	28	6.4	5.9	2.9	19.2	22000	11000	Unsatisfactory	TC, FC
3	Jalda (Rourkela D/S)	1302	07.08.2019	1:20	27	6.5	5.3	1.8	15.7	17000	9400	Unsatisfactory	TC, FC
4	Attaghat	3916	07.08.2019	12:40	29	6.5	5.2	1.8	15.7	1400	490	Satisfactory	
5	Biritola	2414	07.08.2019	11:30	30	6.6	5	0.7	7	940	210	Satisfactory	
6	Bonaigarh	1039	07.08.2019	10:52	28	6.7	6.1	0.9	7	640	170	Satisfactory	
7	Rengali	1040	05.08.2019	4:20	29	8.4	7.4	1	8.9	130	17	Satisfactory	
8	Samal	1041	05.08.2019	12:10	29	8	6	0.3	7.1	1100	220	Satisfactory	
9	Talcher FU/S	2415	05.08.2019	11:10	28	7.9	7.2	0.2	7.1	1400	110	Satisfactory	
10	Talcher U/s	1303	05.08.2019	10:00	28	7.8	8.2	0.2	8.9	2200	490	Satisfactory	
11	Mandapal	3917	05.08.2019	10:30	29	7.7	6.6	0.5	8.9	4000	1700	Satisfactory	
12	Talcher D/S	1042	05.08.2019	8:00	29	7.8	7.4	0.7	7.1	2400	490	Satisfactory	
13	Talcher FD/S	2416	05.08.2019	10:00	29	7.8	6.6	0.7	7.1	1100	330	Satisfactory	
14	Nandira U/s	3919	05.08.2019	9:00	28	7.8	8.4	1	10.7	640	170	Satisfactory	
15	Nandira D/s	3920	05.08.2019	9:40	28	8.1	7.4	1.2	12.5	1100	210	Satisfactory	
16	Kisindajhor	3921	05.08.2019	8:45	29	7.8	5.4	1.1	10.7	1100	170	Satisfactory	
17	Dhenkanal U/s	3918	05.08.2019	11:45	29	7.7	7.2	0.8	12.5	1100	490	Satisfactory	
18	Dhenkanal D/s	2417	05.08.2019	3:00	29	7.6	8.4	0.8	12.5	1400	490	Satisfactory	
19	Bhuban	1043	05.08.2019	2:00	29	7.7	7.8	0.3	8.9	1700	220	Satisfactory	
20	Kabatabandha	2418	05.08.2019	1:30	25	7.3	7.6	1.2	10.7	1400	330	Satisfactory	
21	Dharmasala U/s	1044	02.08.2019	11:50	27	7.7	7.8	0.4	7.1	1700	700	Satisfactory	
22	Dharmasala D/s	10019	02.08.2019	4:30	28	7.7	7.8	0.6	5.4	3500	1400	Satisfactory	
23	Pottamundai	1045	05.08.2019	1:45	31	7.2	5.8	0.3	7.1	1100	330	Satisfactory	
24	Khanditara	2419	02.08.2019	12:58	27	7.7	8	0.2	5.4	330	110	Satisfactory	
25	Binjharpur	3922	02.08.2019	10:24	28	6.8	7.8	0.9	8.9	3500	1100	Satisfactory	
26	Ali	2420	05.08.2019	2:30	31.2	7.2	6.8	0.7	10.7	460	110	Satisfactory	
27	Sankh U/s	2412	07.08.2019	3:00	27	6.9	5.6	0.8	7	1300	490	Satisfactory	
28	Koel U/s	2413	07.08.2019	4:34	27	6.9	6.7	0.5	5.2	1100	330	Satisfactory	
29	Guradi nallah	3923	07.08.2019	2:00	29	6.4	3.5	3.3	27.9	3500	1100	Drain	
30	Badajhor	3924	05.08.2019	3:40	28	7.8	7.8	1	8.9	1400	220	Satisfactory	

31	Damsala at Dayanabil	3933	05.08.2019	4:25	26	7.3	7	0.9	5.4	390	78	Satisfactory	
32	Gondanallah at marthapur	3934	05.08.2019		25	7.6	6.8	1.4	14.3	1100	260	Satisfactory	
33	Karo at Barbil	3915	06.08.2019	3:10	23	7.3	6.9	0.6	8.9	260	68	Satisfactory	
34	Lingira U/s	3925	05.08.2019	5:00	27	7.9	4.6	0.8	10.7	1100	170	Satisfactory	
35	Lingira D/s	3926	05.08.2019	10:45	26	7.9	4	0.9	10.7	2100	490	Satisfactory	
36	Ramiala near Kamakhyanagar	3932	05.08.2019	12:15	29	7.5	7.2	0.8	7.1	940	170	Satisfactory	
37	Bangurunallah	3930	05.08.2019	11:40	28	7.3	7	0.8	8.9	400	170	Satisfactory	
38	Singadajhor	3929	05.08.2019	12:30	29	7.2	5.2	1	7.1	790	170	Satisfactory	
39	Tikira U/s	3927	05.08.2019	3:30	28	7.9	8	0.5	5.4	1700	790	Satisfactory	
40	Tikira D/s	3928	05.08.2019	12:50	29	7	6.8	1.1	10.7	3500	1300	Satisfactory	
41	Bangurusingada jhor	3931	05.08.2019	10:35	29	7.5	6	1	7.1	470	120	Satisfactory	

River system : Budhabalanga

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Baripada D/s	2423	08.08.2019	1:45	27	7.6	6	1.2	8.7	4700	1100	Satisfactory	
2	Balasure U/s	3943	08.08.2019	4:15	26	7.6	6.4	1.9	5.2	2200	790	Satisfactory	
3	Balasure D/s	2424	08.08.2019	10:00	23	7.4	6.4	2.1	7	3900	1400	Satisfactory	
4	Hatiagond (Sona)	3942	08.08.2019	5:15	26	7.5	6.8	1.3	10.4	1400	490	Satisfactory	

River system : Vansadhara

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Muniguda	2427	14.08.2019	3:15	26	7.2	7.2	0.8	8.7	220	78	Satisfactory	
2	Gunupur	2426	14.08.2019	5:45	25	7	7.6	1	12.2	1100	490	Satisfactory	

River system : Subarnarekha

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Rajghat	1641	08.08.2019	11:50	25	7.8	6.8	1.9	5.2	640	210	Satisfactory	

River system : Nagavali

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Penta U/s	2422	14.08.2019	11:52	25	7.1	7.5	1	10.4	320	110	Satisfactory	
2	Jaykaypur D/s	1642	14.08.2019	9:05	23	7.2	6.2	1.4	15.6	1300	330	Satisfactory	
3	Rayagada D/s	1643	14.08.2019	7:45	23	7.5	7.3	1.2	13.9	2200	790	Satisfactory	

River system : Kolab

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	River Kerandi (intake well of NALCO Refinery, HAL, Sunabeda)	2425	14.08.2019	2:45	25	7	7.6	0.4	10.4	470	140	Satisfactory	

River system : Indravati

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Indravati at Nawarangpur	3948	14.08.2019	11:40	24	7.2	6.9	0.8	8.7	940	220	Satisfactory	

River system : Bahuda

August, 2019

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Bahuda at Damodarpally	3949	07.08.2019	4:00	20	7.5	7	0.8	10.5	1700	1100	Satisfactory	

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l
SEA						
Gopalpur sea	2441	07.08.2019	10:20	22	7.6	8
Swargadwara (Puri)	2439	06.08.2019	9:10	27	8.1	6.6
Pardeep sea	2440	06.08.2019	5:30	30.2	8	6.3

LAKES							
Name of Lake	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l
Anshupa	Kadalibari	2438	06.08.2019	1:10	24	6.7	6.2
	Bishnupur	3956	06.08.2019	1:45	23	7	7.2
	Subarnapur	3955	06.08.2019	1:35	24	6.8	6.7
	Sarandagarh	3957	06.08.2019	1:55	23	6.9	5.6
Chilka	Rambha	3953	08.08.2019	11:00	21	7.4	6.2
	Satapada	2437	05.08.2019	1:55	29.5	7.6	7.4
Tampara	Tampara lake	3954	08.08.2019	9:00	21	7.9	6

CREEK							
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l
Atharabanki creek	Atharabanki creek	3961	06.08.2019	5:06	30.2	6.9	5.2

CANALS							
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l
Taladanda canal	Jobra	2428	07.08.2019	12:10	24	7.1	6.8
	Ranihat	3950	07.08.2019	11:50	23	7.5	7
	Chhatrabazar	3951	07.08.2019	11:35	24	7.5	7
	Nuabazar	2429	07.08.2019	11:05	24.5	7.3	7

Puri canal

Biribati	3952	07.08.2019	10:30	25	7.6	7.1
Atharabanki	2430	06.08.2019	10:10	31.6	7.2	7.6
Hansapal	3958	07.08.2019	10:30	26	7	6.7
Jagannathpur	3959	07.08.2019	2:30	25	7.3	5.8
Chandanpur	3960	05.08.2019	11:45	28	7.7	5.6

PONDS

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l
-----------------	------	---------------	---------------	------------------------	----	----------

Binduasagar pond(Bhubaneswar)

Lingaraj temple side	2431	02.08.2019	1:20	27	8.3	6.3
Ananta Vasudeva temple side		02.08.2019	1:00	27	8.2	5.2
Gyananagar side		02.08.2019	1:45	27	8.2	5.5
Kedarnath Research Centre side		02.08.2019	12:30	28	8.3	6.1

Ponds in Puri

Narendra	2432	05.08.2019	5:35	28	8.2	6.5
Markanda	2433	05.08.2019	5:55	28	7.5	5.5
Indradyumna	2434	05.08.2019	5:10	28.5	8	9.1
Swetaganga	2435	05.08.2019	10:05	27	8.2	6.9
Parbatisagar	2436	05.08.2019	4:20	28	8	4.4

Pond in Angul

Raniguda pond	3963	06.08.2019	10:20	25	7.1	8.4

Pond in Jeypore

Jagannathsagar Pond	3962	14.08.2019	1:15	26	8	6.5
---------------------	------	------------	------	----	---	-----

August, 2019

BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
0.2	43.7	1.8	1.8
0.2	35.7	1.8	1.8
1.4	53.6	1.8	1.8

August, 2019

BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
0.8	12.2	1100	330
0.7	14	2200	490
1	10.5	1300	330
0.8	12.2	2800	490
1.7	26.2	940	220
1.1	44.6	1100	490
1.8	38.4	2800	1300

August, 2019

BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
2.4	35.7	3500	1100

August, 2019

BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
0.8	14	3500	700
1.2	14	11000	2600
1.3	12.2	4900	1700
1.2	14	9400	2100

1	14	1100	490
0.8	14.3	1700	700
1	16.1	3500	1100
0.7	10.7	5400	1700
1.3	10.7	1400	330

August, 2019

BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
-----------	-----------	----------------------	----------------------

2.6	32.1	11000	3300
1.8	15.1	24000	9400
2.9	26.4	54000	17000
0.7	15.1	9400	1700

1.6	21.4	460	110
2.1	19.6	700	170
1.9	16.1	1100	330
2.4	26.8	1300	490
2.7	30.4	2400	1300

2.5	21.4	1100	490

1.6	15.6	1100	490
-----	------	------	-----