

Water Quality Bulletin of State Pollution Control Board, Odisha

Criteria for Satisfactory WC

DO >4.0 mg/l

BOD < 3 mg/l

TC < 5000 MPN/100 ml

FC < 2500 MPN/ 100 ml

River system : Mahanadi

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Sundargarh	1267	07.01.2020	12:30	22	6.8	6.4	0.5	7.8	950	170	Satisfactory	
2	Jharsuguda	1268	21.01.2020	12:10	18	7.5	8.2	0.5	7.9	2200	790	Satisfactory	
3	Brajrajnagar-U/S	1300	21.01.2020	12:45	19	7.8	8	0.7	7.9	2200	790	Satisfactory	
4	Brajrajnagar-D/S	1269	21.01.2020	1:30	20	7.3	7.8	0.8	11.9	3500	2200	Satisfactory	
5	Bheden	2403	21.01.2020	2:20	21	7.1	7.4	1.8	9.9	3500	1700	Satisfactory	
6	Hirakud	1281	03.01.2020	8:30	22	6.8	8.4	0.5	7.8	490	230	Satisfactory	
7	Sambalpur U/S	1270	03.01.2020	11:15	21	6.6	8.2	0.8	7.8	490	130	Satisfactory	
8	Sambalpur D/S	1271	03.01.2020	12:30	22	6.9	7.8	1.1	13.6	4900	1300	Satisfactory	
9	Sambalpur FD/S at Shankarmath	3887	02.01.2020	9:00	23	6.9	7.6	1	15.5	2300	780	Satisfactory	
10	Sambalpur FD/S at Huma	2405	02.01.2020	10:40	23	7	8.2	1	11.6	2300	780	Satisfactory	
11	Power Channel U/S	3888	03.01.2020	9:20	22	6.9	7.4	0.4	3.9	78	20	Satisfactory	
12	Power Channel D/S	2404	03.01.2020	10:10	22	7.1	8	0.8	7.8	780	20	Satisfactory	
13	Sonepur U/S	1272	02.01.2020	12:30	22	7.1	8.4	0.4	7.8	130	45	Satisfactory	
14	Sonepur D/S	1274	02.01.2020	1:10	24	7.1	8	0.4	7.8	680	400	Satisfactory	
15	Tikarpada	1275	08.01.2020	11:10	24	7.6	8.6	1.1	5.8	1700	230	Satisfactory	
16	Narasinghpur	1276	03.01.2020	3:01	28	8	7.9	0.5	7.8	460	92	Satisfactory	
17	Munduli	2406	03.01.2020	12:15	19	8	7.4	0.9	7.8	2300	780	Satisfactory	
18	Cuttack U/S	1277	03.01.2020	11:44	19	7.9	7.6	0.9	7.8	560	130	Satisfactory	
19	Cuttack D/S	1278	03.01.2020	10:30	20	7.9	7.8	0.9	9.7	4900	1100	Satisfactory	
20	Cuttack FD/s	3890	03.01.2020	10:50	19	7.9	8.1	0.5	5.8	3500	1100	Satisfactory	
21	Paradeep U/S	2407	03.01.2020	11:35	20.6	7.6	8.4	0.3	29.1	1600	230	Satisfactory	
22	Paradeep D/S	1639	03.01.2020	12:30	21.3	7.5	8.2	0.3	27.2	790	490	Satisfactory	
23	Ong river, Dharuakhaman	3889	02.01.2020	3:45	23	7.2	7.4	0.4	7.8	20	1.8	Satisfactory	
24	Tel	2408	02.01.2020	1:50	23	7.3	7.2	0.8	7.8	78	20	Satisfactory	
25	Kathajodi U/s	3891	02.01.2020	12:26	25	8.1	7.7	0.8	11.6	170	45	Satisfactory	
26	Kathajodi D/s	1301	02.01.2020	4:25	24	8.4	6.1	1.9	17.5	7000	3300	Unsatisfactory	TC, FC
27	Kathajodi FD/s (Mattagajpur)	3892	02.01.2020	1:40	24	8.2	6.3	1.9	13.6	330	68	Satisfactory	
28	Kathajodi FFD/s at Kamasasan	3893	02.01.2020	2:15	25	8.2	7.8	0.6	7.8	2400	790	Satisfactory	
29	Sankhatrasa	2409	02.01.2020	2:50	25	8.3	7.4	1.2	15.5	7000	1300	Unsatisfactory	TC
30	Kuakhai FU/s	2410	03.01.2020	10:30	19	7.4	7.8	0.5	7.8	2200	790	Satisfactory	
31	Kuakhai U/s	1279	03.01.2020	11:05	19	7.3	7.7	0.6	7.8	3500	1100	Satisfactory	
32	Daya at Gelapur	3894	03.01.2020	12:10	19	7.3	9.5	0.8	11.6	3500	1100	Satisfactory	
33	Kuakhai D/s	1280	03.01.2020	2:40	19	7.2	4.8	4.5	27.2	160000	92000	Unsatisfactory	BOD, TC, FC
Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
34	Kuakhai FD/s	2411	03.01.2020	3:00	19	7.2	4.9	4.2	23.3	160000	160000	Unsatisfactory	BOD, TC, FC
35	Daya at Kanas	3895	06.01.2020	3:55	25.5	7.5	7.1	2.2	15.5	7900	2200	Unsatisfactory	TC
36	Birupa	1640	02.01.2020	12:55	23	7.6	7.8	1.1	11.6	7000	4900	Unsatisfactory	TC, FC
37	Gangua at Rajdhani College	3896	03.01.2020	9:50	20	7	2	13.3	40.7	160000	160000	Unsatisfactory	DO, BOD, TC, FC
38	Gangua at Palasuni	3897	03.01.2020	11:45	20	6.6	1.7	19.9	69.8	160000	160000	Unsatisfactory	DO, BOD, TC, FC
39	Gangua at Samantarapur	3898	03.01.2020	12:30	21	6.9	1.7	13.8	42.7	160000	160000	Unsatisfactory	DO, BOD, TC, FC
40	Gangua at vadimula	3899	22.01.2020	12:10	22	6.9	3.2	8.5	27.5	35000	28000	Unsatisfactory	DO, BOD, TC, FC
41	Kushabhadra at Bhingarpur	3903	06.01.2020	11:40	22.5	6.6	6.8	1	7.8	3500	1100	Satisfactory	
42	Kushabhadra at Nimapara	3904	06.01.2020	12:35	24	6.8	6.4	0.4	9.7	780	450	Satisfactory	
43	Kushabhadra at Gop	3905	06.01.2020	1:15	23	6.7	7.1	0.6	11.6	1300	780	Satisfactory	
44	Kendrapada U/s	3900	02.01.2020	12:00	22.6	7.8	8.2	0.6	7.8	790	490	Satisfactory	
45	Kendrapada D/s	3901	02.01.2020	1:00	22.7	7.6	8	0.9	11.6	470	340	Satisfactory	
46	Mangala at Malatipatpur	3906	13.01.2020	11:55	21.5	6.7	7.5	0.8	7.5	3300	1100	Satisfactory	
47	Mangala D/s	3907	13.01.2020	2:50	24.5	7.8	6.3	2.7	15.1	4900	1100	Satisfactory	
48	Bhargavi at Chandanpur	3908	13.01.2020	11:05	21.5	7.9	7.4	1.1	11.3	1100	450	Satisfactory	
49	Devi at Machhagaon	3902	03.01.2020	5:10	20.5	7.5	8.4	0.5	27.2	3300	1300	Satisfactory	
50	Luna at Bijipur	3912	06.01.2020	4:25	23.5	7.9	7.1	1	15.5	3300	1300	Satisfactory	
51	River Sabulia	3914	03.01.2020	12:40	22	7.5	6.6	0.9	15.7	3500	2200	Satisfactory	
52	Kusumi	3913	03.01.2020	10:00	20	7.4	7.8	0.5	7.8	3500	2200	Satisfactory	
53	River Kansari	3909	03.01.2020	11:20	21	7.2	7.6	0.6	11.8	790	230	Satisfactory	
54	River Badasankha	3910	03.01.2020	1:30	19	7.2	6.9	0.9	11.8	1100	790	Satisfactory	
55	Ratnachira	3911	14.01.2020	11:45	20.5	7.7	6.1	0.4	7.5	2300	780	Satisfactory	

River system : Rushikulya

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Russekunda Reservoir	3944	06.01.2020	10:20	10	7.4	8.5	1.7	11.6	330	230	Satisfactory	
2	Badanadi, Aska	3946	06.01.2020	12:10	12	7.6	7.5	1.0	9.7	330	270	Satisfactory	
3	Rushikulya , Aska	3945	06.01.2020	11:30	12	7.4	9.5	1.6	11.6	4900	1100	Satisfactory	
4	Rushikulya at Nalabanta	3947	06.01.2020	1:00	13	8.5	7.5	1.2	9.7	4900	1300	Satisfactory	
5	Madhopur	1455	07.01.2020	8:00	12	8.5	9.5	1.4	7.8	2400	490	Satisfactory	
6	Potagarh	1456	07.01.2020	10:00	12	8.4	9.0	1.9	11.6	2300	790	Satisfactory	

River system : Baitarani

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	06.01.2020	3:35	16	7.3	7.3	0.3	3.9	4900	1300	Satisfactory	
2	Kusei at Deogaon	2421	09.01.2020	9:50	16	7.3	8.4	1	9.5	460	170	Satisfactory	
3	Baitarani at Naigarh	3935	06.01.2020	9:20	16	7.5	7.8	0.3	3.9	450	170	Satisfactory	
4	Baitarani at Unchabali	3936	06.01.2020	10:15	16	7.5	6.7	0.6	3.9	450	200	Satisfactory	
5	Baitarani at Chamua	3937	07.01.2020	10:35	19	7.3	6.6	1	7.7	3300	780	Satisfactory	
6	Baitarani at Tribindha	3938	07.01.2020	12:10	20	7.3	7.5	0.6	7.7	3300	780	Satisfactory	
7	Baitarani at Joda	1081	06.01.2020	5:10	15	7.4	7.6	0.6	7.7	3500	1100	Satisfactory	
8	Anandpur	1082	09.01.2020	9:20	17	7.8	7.8	0.4	5.8	3300	780	Satisfactory	
9	Jajpur	1083	07.01.2020	10:30	23	6.9	7	1	11.6	2400	1100	Satisfactory	
10	Chandbali U/s	1084	09.01.2020	1:30	20	7.1	7.6	2.3	19.1	3500	2200	Satisfactory	
11	Chandbali D/s	10018	09.01.2020	2:10	20	7.1	8	2.4	19.1	4900	2200	Satisfactory	
12	Dhamra	1085	09.01.2020	11:10	18	7.2	7.6	1	11.4	1700	680	Satisfactory	
13	Bhadrak U/s	3940	09.01.2020	4:00	20	7.3	9.2	0.9	11.4	780	450	Satisfactory	
14	Bhadrak D/s	3941	09.01.2020	4:40	18	7.4	9.6	1.3	15.2	3500	790	Satisfactory	

River system : Brahmani

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Panposh U/S	1037	06.01.2020	9:00	17	6.7	7.4	1.6	7.7	1100	400	Satisfactory	
2	Panposh D/S	1038	06.01.2020	9:45	18	6.9	3.7	4.5	30.9	5400	2400	Unsatisfactory	DO, BOD, TC
3	Jalda (Rourkela D/S)	1302	06.01.2020	10:30	18	7	4.3	3.6	27	5400	1700	Unsatisfactory	BOD, TC
4	Attaghat	3916	06.01.2020	12:10	20	7.3	7.4	2.6	23.2	5400	2200	Unsatisfactory	TC
5	Biritola	2414	06.01.2020	12:50	20	7.4	7.6	1.4	15.4	3500	1700	Satisfactory	
6	Bonaigarh	1039	06.01.2020	3:10	21	7.4	8.2	0.7	7.7	460	45	Satisfactory	
7	Rengali	1040	07.01.2020	3:20	26	7.6	8.5	0.2	5.8	620	210	Satisfactory	
8	Samal	1041	07.01.2020	12:10	26	7.7	8.0	0.5	9.7	1700	790	Satisfactory	
9	Talcher FU/S	2415	07.01.2020	11:00	24	7.6	8.4	0.7	9.7	330	18	Satisfactory	
10	Talcher U/s	1303	07.01.2020	9:30	24	7.5	8.6	0.7	9.7	330	230	Satisfactory	
11	Mandapal	3917	07.01.2020	10:00	24	7.5	8.4	0.6	9.7	620	210	Satisfactory	
12	Talcher D/S	1042	06.01.2020	9:30	24	7.5	8.8	2.3	17.4	450	20	Satisfactory	
13	Talcher FD/S	2416	06.01.2020	10:15	24	7.5	8.8	1.5	11.6	790	78	Satisfactory	
14	Nandira U/s	3919	07.01.2020	8:30	23	7.4	8.6	1.2	15.4	1700	790	Satisfactory	
15	Nandira D/s	3920	07.01.2020	9:00	24	7.5	8.8	1.4	17.4	3500	790	Satisfactory	
16	Kisindajhor	3921	06.01.2020	10:15	24	7.6	7.9	1.3	15.4	3300	400	Satisfactory	
17	Dhenkanal U/s	3918	06.01.2020	12:00	24	7.5	8.8	0.8	9.7	1300	230	Satisfactory	
18	Dhenkanal D/s	2417	06.01.2020	3:40	26	7.4	8.2	1.3	17.4	78	45	Satisfactory	
19	Bhuban	1043	06.01.2020	2:30	24	7.4	8.6	1.4	15.4	2400	230	Satisfactory	
20	Kabatabandha	2418	06.01.2020	3:10	25	6.8	6.7	0.8	5.8	2400	790	Satisfactory	
21	Dharmasala U/s	1044	07.01.2020	12:50	24	6.9	7.4	1.0	9.7	2400	700	Satisfactory	
22	Dharmasala D/s	10019	07.01.2020	12:30	24	6.5	7.2	1.1	9.7	3300	400	Satisfactory	
23	Pottamundai	1045	02.01.2020	1:45	22.7	8.0	8.2	0.3	5.8	3500	790	Satisfactory	
24	Khanditara	2419	07.01.2020	1:40	24	6.6	7.6	0.9	5.8	2100	450	Satisfactory	
25	Binjharpur	3922	07.01.2020	11:10	23	6.7	7.1	0.3	7.7	1100	400	Satisfactory	
26	Ali	2420	02.01.2020	3:30	22.8	8.0	8.8	0.4	5.8	3500	1700	Satisfactory	
27	Sankh U/s	2412	07.01.2020	3:30	20	6.5	6.2	0.4	7.7	1300	1100	Satisfactory	
28	Koel U/s	2413	06.01.2020	8:00	20	6.7	7.4	0.5	9.7	3300	790	Satisfactory	
29	Guradi nallah	3923	06.01.2020	4:00	22	7.4	3.3	5	65.6	24000	13000	Drain	
30	Badajhor	3924	06.01.2020	4:30	25	7.7	8.6	1.5	17.4	2300	1300	Satisfactory	

31	Damsala at Dayanabil	3933	07.01.2020	12:05	24	6.8	7.1	0.5	7.7	2200	640	Satisfactory	
32	Gondanallah at marthapur	3934	06.01.2020	4:20	23	6.7	6.4	1.3	15.4	4900	450	Satisfactory	
33	Karo at Barbil	3915	06.01.2020	2:55	19	7.3	6.9	0.9	7.7	210	45	Satisfactory	
34	Lingira U/s	3925	08.01.2020	1:20	25	7.9	8.8	0.8	7.7	1300	450	Satisfactory	
35	Lingira D/s	3926	08.01.2020	2:45	25	8.2	7.6	1.6	11.6	2300	1300	Satisfactory	
36	Ramiala near Kamakhyanagar	3932	06.01.2020	12:40	25	7.9	8.2	1.2	11.6	3300	1700	Satisfactory	
37	Bangurunallah	3930	07.01.2020	11:40	24	7.6	8.6	0.9	11.6	1300	450	Satisfactory	
38	Singdajhor	3929	07.01.2020	12:45	26	7.7	7.6	0.8	9.7	2300	780	Satisfactory	
39	Tikira U/s	3927	07.01.2020	2:30	26	8.2	9.6	0.9	11.6	2300	1100	Satisfactory	
40	Tikira D/s	3928	07.01.2020	1:15	26	8.0	8.4	1.4	17.4	3300	1700	Satisfactory	
41	Bangurusingada jhor	3931	06.01.2020	11:15	26	7.8	7.4	0.8	9.7	2200	1100	Satisfactory	

River system : Budhabalanga

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Baripada D/s	2423	09.1.2020	1:30	20	7.9	7.2	1.2	9.5	3500	1100	Satisfactory	
2	Balasure U/s	3943	09.1.2020	3:30	20	8.3	8.4	0.6	7.6	2300	1300	Satisfactory	
3	Balasure D/s	2424	09.1.2020	9:50	18	8.1	8.4	0.9	9.5	2400	220	Satisfactory	
4	Hatiagond (Sona)	3942	09.1.2020	4:50	18	8.1	8.4	0.5	5.7	2800	330	Satisfactory	

River system : Vansadhara

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Muniguda	2426	10.01.2020	1:20	20	6.9	7.2	1.2	5.7	450	200	Satisfactory	
2	Gunupur	2427	10.01.2020	3:45	21	6.7	7.5	1.4	7.6	780	450	Satisfactory	

River system : Subarnarekha

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Rajghat	1641	09.1.2020	11:45	18	7.9	8.8	1.5	9.5	170	45	Satisfactory	

River system : Nagavali

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Penta U/s	2422	10.01.2020	10:40	21	6.9	7.4	0.5	7.6	1700	450	Satisfactory	
2	Jaykaypur D/s	1642	10.01.2020	9:25	20	7.7	6.5	1.6	19.1	2300	780	Satisfactory	
3	Rayagada D/s	1643	09.01.2020	5:30	16	6.8	7.1	0.9	11.4	1100	210	Satisfactory	

River system : Kolab

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	River Kerandi (intake well of NALCO Refinery, HAL, Sunabeda)	2425	10.01.2020	1:20	20	7.1	7.1	0.4	5.7	3300	110	Satisfactory	

River system : Indravati

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Indravati at Nawarangpur	3948	09.1.2020	11:40	16	6.8	7.3	1.8	11.4	780	200	Satisfactory	

River system : Bahuda

January, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	WQI	Non-conforming parameter (s)
1	Bahuda at Damodarapally	3949	06.01.2020	4:00	11	8.2	10	0.8	7.8	1800	330	Satisfactory	

January, 2020

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	
SEA											
Gopalpur sea	2441	07.01.2020	7:30	12	8.2	12.5	1.4	29.1	78	20	
Swargadwara (Puri)	2439	13.01.2020	5:15	23.5	8.3	7.2	2.6	20.7	78	20	
Pardeep sea	2440	03.01.2020	10:50	22.4	7.9	7.8	1.6	19.4	18	18	

January, 2020

LAKES											
Name of Lake	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml
Anshupa	Kadalibari	2438	03.01.2020		20	8	6.7	1.0	9.7	4900	2200
	Bishnupur	3956	03.01.2020	12:50	20	7.8	6.4	1.1	9.7	3500	2200
	Subarnapur	3955	03.01.2020	1:00	18	8	6.2	0.9	7.8	780	200
	Sarandagarh	3957	03.01.2020	1:20	18	7.7	6.8	1.2	15.5	2300	780
Chilka	Rambha	3953	07.01.2020	11:00	13	8.1	6.0	1.1	27.2	170	78
	Satapada	2437	13.01.2020	1:10	24	8.1	7.7	0.3	15.1	4900	1100
Tampara	Tampara lake	3954	03.01.2020	10:30	12	8.2	5.0	4.5	38.8	3500	1100

January, 2020

CREEK											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	
Atharabanki creek	Atharabanki creek	3961	03.01.2020	11:00	20.9	7.5	6.2	0.8	36.9	16000	2400

January, 2020

CANALS											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	
Taladanda canal	Jobra	2428									
	Ranihat	3950									
	Chhatrabazar	3951									
	Nuabazar	2429									
	Biribati	3952									
	Atharabanki	2430	03.01.2020	12:00	20.6	7.7	6.4	0.9	11.6	160000	160000
Puri canal	Hansapal	3958	06.01.2020	10:50	22	7.6	7.4	0.8	5.8	4900	1100
	Jagannathpur	3959	06.01.2020	2:05	24	7.1	7.2	1.5	11.6	4900	1300
	Chandanpur	3960	13.01.2020	10:40	22	7.4	6.4	1.3	13.2	2300	780

January, 2020

PONDS											
Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/l	BOD, mg/l	COD, mg/l	TC, MPN/100 ml	FC, MPN/100 ml	
Binduasagar pond(Bhubaneswar)											
Lingaraj temple side	2431	03.01.2020	1:30	20	7	7.2	2.6	19.4	3500	2400	
Ananta Vasudeva temple side		03.01.2020	12:50	20	7.6	7.1	2.7	19.4	3500	2400	
Gyananagar side		03.01.2020	1:40	21	7.7	7.4	2.5	21.3	1600	240	
Kedarnath Research Centre side		03.01.2020	1:10	20	7.7	7.3	2	19.4	9200	3500	
Ponds in Puri											
Narendra	2432	14.01.2020	10:35	22.5	8.1	7.1	6.3	37.7	7900	1300	
Markanda	2433	14.01.2020	11:00	23.5	7.8	10.2	8.8	43.4	3300	680	
Indradyumna	2434	14.01.2020	9:40	22	8.1	8.9	3.5	26.4	7000	1700	
Swetaganaga	2435	14.01.2020	8:35	22.5	8.1	13.1	8.1	47.1	4900	1100	
Parbatsagar	2436	13.01.2020	3:45	50	7.9	9.8	8.4	49	7000	4900	
Pond in Angul											
Raniguda pond	3963	08.01.2020	4:00	26	7.6	3.2	5.8	30.9	13000	7900	
Pond in Jeypore											
Jagannathsagar Pond	3962	09.01.2020	2:30	16	7.9	6.8	0.9	11.4	7900	1700	

