

Water Quality Bulletin of State Pollution Control Board, Odisha

Criteria for Satisfactory WQI

DO >4.0 mg/L
BOD < 3 mg/L
TC < 5000 MPN/100 mL
FC < 2500 MPN/ 100 mL

River system : Mahanadi

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Sundargarh	1267	12.11.2020	5:30 PM	20	7.9	7.8	< 1.0	14.4	1800	1400	NA	Satisfactory	
2	Iharsuguda	1268	02.11.2020	11:45 AM	18	7.4	7.6	1.2	7.4	1800	1100	NA	Satisfactory	
3	Brajrajnagar-U/S	1300	02.11.2020	12:15 PM	18	7.5	7.8	1.3	11.1	400	270	NA	Satisfactory	
4	Brajrajnagar-D/S	1269	02.11.2020	12:50 PM	17	7.7	8.2	1.7	14.8	490	330	NA	Satisfactory	
5	Bheden	2403	02.11.2020	1:35 PM	19	7.7	8	1.1	11.1	220	170	NA	Satisfactory	
6	Hirakud	1281	03.11.2020	12:40 PM	24	7.5	7.8	1.1	11.1	2200	130	NA	Satisfactory	
7	Sambalpur U/S	1270	03.11.2020	10:00 AM	25	7.4	7.2	1.1	14.8	1400	1100	11	Satisfactory	
8	Sambalpur D/S	1271	03.11.2020	9:10 AM	25	7.5	7.6	1.4	18.5	2200	1300	23	Satisfactory	
9	Sambalpur FD/S at Shankarmath	3887	02.11.2020	9:00 AM	24	7.3	7.2	1.4	14.8	2800	1700	4	Satisfactory	
10	Sambalpur FD/S at Huma	2405	02.11.2020	10:25 AM	24	7.6	7.4	1.1	7.4	3500	2200	12	Satisfactory	
11	Power Channel U/S	3888	03.11.2020	11:30 AM	24	7.5	7.2	1.1	7.4	790	330	NA	Satisfactory	
12	Power Channel D/S	2404	03.11.2020	10:50 AM	25	7.6	7.4	1.3	11.1	1100	790	NA	Satisfactory	
13	Sonepur U/S	1272	02.11.2020	12:15 PM	24	7.6	7.2	1.1	11.1	790	330	17	Satisfactory	
14	Sonepur D/S	1274	02.11.2020	12:45 PM	25	7.6	7.4	1.4	14.8	1400	1100	14	Satisfactory	
15	Tikarpada	1275	10.11.2020	11:00 AM	23	7.3	8	1	11	200	170	4	Satisfactory	
16	Narasinghpur	1276	04.11.2020	3:25 PM	26	8.3	8.6	1.2	11	2800	1400	11	Satisfactory	
17	Mundull	2406	04.11.2020	11:55 AM	25	8.2	8.4	1.1	11	230	130	12	Satisfactory	
18	Cuttack U/s	1277	04.11.2020	11:20 AM	25	8.1	8.6	1.5	14.7	1100	790	17	Satisfactory	
19	Cuttack D/s	1278	04.11.2020	10:45 AM	25	8.3	8.2	2.6	14.7	1700	1100	4	Satisfactory	
20	Cuttack FD/s	3890	04.11.2020	10:25 AM	26	8.4	7.6	1.7	7.3	3500	1700	11	Satisfactory	
21	Paradeep U/S	2407	04.11.2020	3:35 PM	29	8	8	1.1	11.1	490	230	13	Satisfactory	
22	Paradeep D/S	1639	04.11.2020	4:15 PM	29.6	7.7	7.6	1.6	29.6	1100	490	17	Satisfactory	
23	Ong river, Dharuakhaman	3889	02.11.2020	2:45 PM	25	7.8	7.6	< 1.0	7.4	230	130	NA	Satisfactory	
24	Tel	2408	02.11.2020	1:40 PM	25	8	7.2	< 1.0	7.4	220	170	NA	Satisfactory	
25	Kathajodi U/s	3891	05.11.2020	12:15 PM	24	8.4	8.2	1.3	11	1400	1100	17	Satisfactory	
26	Kathajodi D/s	1301	05.11.2020	6:15 PM	20	8.5	7.8	2.5	14.7	2300	1300	23	Satisfactory	
27	Kathajodi FD/s (Mattagajpur)	3892	05.11.2020	4:30 PM	24	7.8	7.6	2.4	14.7	2700	2200	NA	Satisfactory	
28	Kathajodi FFD/s at Kamasasan	3893	05.11.2020	5:30 PM	22	8.2	7.4	1.2	7.3	3500	1100	NA	Satisfactory	
29	Sankhatrasa	2409	05.11.2020	5:55 PM	20	8	7.6	2.5	11	7900	4900	NA	Unsatisfactory	TC, FC
30	Kuakhai FU/s	2410	05.11.2020	10:20 AM	21	7.9	7.9	1.4	11.1	1700	1100	11	Satisfactory	
31	Kuakhai U/s	1279	05.11.2020	10:55 AM	21	8	8.1	1.6	18.5	2200	1300	21	Satisfactory	
32	Daya at Gelapur	3894	05.11.2020	2:10 PM	24	7.6	6.1	1.2	11.1	2800	1300	NA	Satisfactory	
33	Kuakhai D/s	1280	06.11.2020	12:05 PM	23	7.2	8.4	2.5	11	35000	13000	14	Unsatisfactory	TC, FC
Sl. No.	Name of Station	Code	Sampling date	Sampling Time (AM/PM)	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
34	Kuakhai FD/s	2411	06.11.2020	12:35 PM	24	7.3	8.2	1.7	7.3	24000	7900	17	Unsatisfactory	TC, FC
35	Daya at Kanas	3895	11.11.2020	12:30 PM	26	7	8.4	1.7	14.4	5400	3500	NA	Unsatisfactory	TC, FC
36	Birupa	1640	05.11.2020	2:40 PM	24	8.5	8.6	1.3	7.3	2400	1300	NA	Satisfactory	
37	Gangua at Rajdhani College	3896	05.11.2020	9:40 AM	24	7.3	3.4	5.7	18.5	160000	160000	NA	Unsatisfactory	DO, BOD, TC, FC
38	Gangua at Palasuni	3897	05.11.2020	1:10 PM	24	7.2	2.3	8.0	29.6	160000	160000	NA	Unsatisfactory	DO, BOD, TC, FC
39	Gangua at Samantarapur	3898	05.11.2020	3:10 PM	25	7.1	1.9	9.3	37	35000	28000	NA	Unsatisfactory	DO, BOD, TC, FC
40	Gangua at vadimula	3899	06.11.2020	11:30 AM	24	7.4	8.3	4.0	14.7	28000	22000	70	Unsatisfactory	BOD, TC, FC
41	Kushabhadra at Bhangarpur	3903	11.11.2020	4:30 PM	26	7.1	8.6	1.6	7.2	790	490	NA	Satisfactory	
42	Kushabhadra at Nimapara	3904	11.11.2020	2:35 PM	27	7.2	8.7	1.5	10.8	2800	2200	NA	Satisfactory	
43	Kushabhadra at Gop	3905	11.11.2020	3:05 PM	27	7.2	7.5	1.8	10.8	5400	3500	NA	Unsatisfactory	TC, FC
44	Kendrapada U/s	3900	03.11.2020	2:30 PM	29.8	8	5.6	1.4	11.1	1700	1100	NA	Satisfactory	
45	Kendrapada D/s	3901	03.11.2020	3:20 PM	29.6	8	5	2.4	22.2	2400	1300	NA	Satisfactory	
46	Mangala at Malatipatpur	3906	06.11.2020	8:05 AM	27	7.8	7.8	1	7.3	330	230	NA	Satisfactory	
47	Mangala D/s	3907	05.11.2020	1:20 PM	29	7.6	8.1	2.8	18.4	490	330	NA	Satisfactory	
48	Bhargavi at Chandanpur	3908	06.11.2020	8:40 AM	27	7.8	8.3	1.2	14.7	540	340	NA	Satisfactory	
49	Devi at Machhagaon	3902	04.11.2020	1:00 PM	28.8	7.9	8.2	1.9	11.1	340	270	NA	Satisfactory	
50	Luna at Bijipur	3912	11.11.2020	11:40 AM	25	7.4	8.8	1.2	10.8	2400	1300	NA	Satisfactory	
51	River Sabulia	3914	Not Monitored											
52	Kusumi	3913	11.11.2020	12:30 PM	20	7.2	8.2	1.5	10.8	2400	1300	13	Satisfactory	
53	River Kansari	3909	11.11.2020	1:30 PM	20	7.4	7.4	1.3	10.8	1100	790	NA	Satisfactory	
54	River Badasankha	3910	11.11.2020	2:30 PM	20	7.4	7.2	1.1	7.2	1700	1100	NA	Satisfactory	
55	Ratnachira	3911	06.11.2020	9:15 AM	29	7.9	8.3	1.4	14.7	390	270	11	Satisfactory	

NA : Not analysed

River system : Rushikulya

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Russekunda Reservoir	3944	04.11.2020	12:30 PM	22	7.7	6.0	1.2	14.8	1800	1100	NA	Satisfactory	
2	Badanadi, Aska	3946	04.11.2020	2:11 PM	22	8.2	8.1	1.2	11.1	2200	1300	NA	Satisfactory	
3	Rushikulya, Aska	3945	04.11.2020	1:57 PM	23	8.4	8.5	1.3	11.1	1400	790	NA	Satisfactory	
4	Rushikulya at Nalabanta	3947	04.11.2020	1:34 PM	20	8.5	7.0	1.2	7.4	2800	1300	NA	Satisfactory	
5	Madhopur	1455	03.11.2020	1:09 PM	21	7.7	8.0	1.2	7.4	1400	790	12	Satisfactory	
6	Potagarh	1456	03.11.2020	2:10 PM	21	7.6	7.5	1.4	22.2	790	490	14	Satisfactory	

NA : Not analysed

River system : Baitarani

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Kundra nallah at Joda	3939	04.11.2020	4:25 PM	23	7.9	6.5	<1.0	7.4	1300	490	NA	Satisfactory	
2	Kusei at Deogaon	2421	06.11.2020	7:40 AM	20	8.1	7.8	1.2	7.3	700	220	NA	Satisfactory	
3	Baitarani at Naigarh	3935	04.11.2020	9:40 AM	22	7.1	7.3	<1.0	7.4	1400	790	NA	Satisfactory	
4	Baitarani at Unchabali	3936	04.11.2020	10:35 AM	23	7.1	6.8	<1.0	7.4	1800	1100	NA	Satisfactory	
5	Baitarani at Chamua	3937	05.11.2020	10:15 AM	20	7.2	7.1	<1.0	7.4	1700	790	NA	Satisfactory	
6	Baitarani at Tribindha	3938	05.11.2020	11:15 AM	21	7.7	7.2	<1.0	7.4	1800	790	NA	Satisfactory	
7	Baitarani at Joda	1081	04.11.2020	5:20 PM	21	8	6.9	<1.0	11	2400	1300	NA	Satisfactory	
8	Anandpur	1082	06.11.2020	7:10 AM	19	8	7.9	1.4	11	2200	1700	NA	Satisfactory	
9	Jajpur	1083	04.11.2020	11:10 AM	23	8	7.6	1.1	7.4	1800	1100	NA	Satisfactory	
10	Chandbali U/s	1084	11.11.2020	1:15 PM	22	7.4	7.2	<1.0	10.8	330	170	NA	Satisfactory	
11	Chandbali D/s	10018	11.11.2020	1:50 PM	22	7.4	7.6	1.2	10.8	490	330	NA	Satisfactory	
12	Dhamra	1085	11.11.2020	5:30 PM	21	7.5	7.2	1.1	14.4	1300	270	NA	Satisfactory	
13	Bhadrak U/s	3940	11.11.2020	11:00 AM	21	7.7	7.2	<1.0	7.2	2200	1300	NA	Satisfactory	
14	Bhadrak D/s	3941	11.11.2020	11:40 AM	21	7.4	6.8	1.6	14.4	2400	1300	NA	Satisfactory	

NA : Not analysed

River system : Brahmani

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Panposh U/S	1037	12.11.2020	2:40 PM	29	7.4	8.2	1.2	10.8	2800	2200	NA	Satisfactory	
2	Panposh D/S	1038	12.11.2020	9:30 AM	21	7	6.6	6	28.8	14000	7900	12	Unsatisfactory	BOD, TC, FC
3	Jajda (Rourkela D/S)	1302	12.11.2020	9:45 PM	21	7	6.4	5.4	18	11000	4900	14	Unsatisfactory	BOD, TC, FC
4	Attaghat	3916	12.11.2020	10:10 AM	22	7.2	10	4	14.4	1100	790	17	Unsatisfactory	BOD
5	Biritola	2414	12.11.2020	11:45 AM	21	7.5	8.4	2.3	10.8	1700	1300	12	Satisfactory	
6	Bonaigarh	1039	12.11.2020	12:20 PM	21	7.5	7.2	1	7.2	1100	700	NA	Satisfactory	
7	Rengali	1040	10.11.2020	4:40 PM	23	7.8	8	<1	11	170	140	NA	Satisfactory	
8	Samal	1041	10.11.2020	12:30 PM	24	7.8	7.8	1.1	14.7	270	220	NA	Satisfactory	
9	Talcher FU/S	2415	10.11.2020	11:30 AM	24	7.8	7.8	1	11	1100	700	12	Satisfactory	
10	Talcher U/s	1303	10.11.2020	10:30 AM	23	8.1	7.8	1	11	1400	1100	14	Satisfactory	
11	Mandapal	3917	09.11.2020	10:50 AM	23	8.1	8	1.2	14.7	2400	1300	NA	Satisfactory	
12	Talcher D/S	1042	09.11.2020	9:00 PM	21	7.9	6.2	2.1	14.7	1700	1300	21	Satisfactory	
13	Talcher FD/S	2416	09.11.2020	10:20 AM	21	8	7.6	1.9	14.7	2400	790	24	Satisfactory	
14	Nandira U/s	3919	09.11.2020	9:20 AM	20	8.1	8.4	<1	7.3	1800	1400	NA	Satisfactory	
15	Nandira D/s	3920	09.11.2020	10:00 AM	21	8.3	9.2	1.3	11	2800	2200	NA	Satisfactory	
16	Kisindajhor	3921	09.11.2020	9:30 AM	21	8.2	6.6	<1	11	3500	2400	13	Satisfactory	
17	Dhenkanal U/s	3918	09.11.2020	11:50 AM	24	8.1	7.4	<1	7.3	270	140	NA	Satisfactory	
18	Dhenkanal D/s	2417	09.11.2020	3:45 PM	24	8.1	7.6	1	11	790	170	NA	Satisfactory	
19	Bhuban	1043	09.11.2020	3:00 PM	24	8	7.6	1.4	11	1100	490	NA	Satisfactory	
20	Kabatabandha	2418	09.11.2020	12:40 PM	23	7.8	8.1	<1	7.4	1100	490	NA	Satisfactory	
21	Dharmasala U/s	1044	09.11.2020	2:10 PM	23	7.8	7.7	<1	7.4	1400	790	NA	Satisfactory	
22	Dharmasala D/s	10019	09.11.2020	1:45 PM	24	7.9	7.5	1.1	11.1	1800	1100	NA	Satisfactory	
23	Pottamundai	1045	09.11.2020	1:45 PM	29.5	7.7	8.2	1.1	7.4	220	170	NA	Satisfactory	
24	Khanditara	2419	09.11.2020	9:50 AM	23	7.9	8	1.2	11.1	340	270	NA	Satisfactory	
25	Binjharapur	3922	09.11.2020	11:50 AM	24	8.1	7.5	1.1	7.4	1700	1100	NA	Satisfactory	
26	Ali	2420	09.11.2020	12:10 PM	29.3	7.8	8.4	1.2	18.5	400	230	NA	Satisfactory	
27	Sankh U/s	2412	12.11.2020	3:00 PM	21	7.6	7.6	<1	7.2	3500	1300	NA	Satisfactory	
28	Koel U/s	2413	12.11.2020	8:30 AM	20	7.6	7.2	1.1	14.4	1700	790	NA	Satisfactory	
29	Guradi nallah	3923	12.11.2020	2:30 PM	24	7.4	5.2	11.7	43.2	28000	22000	NA	Unsatisfactory	DO, BOD, TC, FC
30	Badajhor	3924	09.11.2020	4:15 PM	24	7.7	7.2	<1	7.3	3500	1700	NA	Satisfactory	

31	Damsala at Dayanabil	3933	09.11.2020	10:10 AM	22	7.9	7.6	<1	7.4	790	230	NA	Satisfactory
32	Gondanallah at marthapur	3934	09.11.2020	1:30 PM	23	7.6	7.5	1.3	14.8	950	490	NA	Satisfactory
33	Karo at Barbil	3915	09.11.2020	3:20 PM	25	7.7	6.9	1.8	18.5	1100	700	NA	Satisfactory
34	Lingira U/s	3925	09.11.2020	4:30 PM	24	7.8	6.8	1.1	10.8	1700	790	NA	Satisfactory
35	Lingira D/s	3926	09.11.2020	4:10 PM	24	8	7.2	1.2	10.8	3500	1300	NA	Satisfactory
36	Ramiala near Kamakhyanagar	3932	09.11.2020	12:20 PM	24	8.1	8.4	1.9	10.8	2400	1300	NA	Satisfactory
37	Bangurunallah	3930	09.11.2020	12:00 Noon	22	7.6	6.4	<1	7.2	1400	490	NA	Satisfactory
38	Singdajhor	3929	09.11.2020	12:50 PM	23	8.3	8.6	<1	14.4	1100	260	NA	Satisfactory
39	Tikira U/s	3927	09.11.2020	3:50 PM	24	8.3	7.2	1.3	7.2	2200	1100	NA	Satisfactory
40	Tikira D/s	3928	09.11.2020	1:20 PM	24	7.9	7	1.5	10.8	2800	1700	NA	Satisfactory
41	Bangurusingada jhor	3931	09.11.2020	11:30 AM	22	8.2	7.4	1	7.2	950	490	NA	Satisfactory

NA : Not analysed



River system : Budhabalanga

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Baripada D/s	2423	10.11.2020	1:55 PM	23	7.8	8.4	1.6	14.4	2400	1300	12	Satisfactory	
2	Balasure U/s	3943	10.11.2020	4:30 PM	22	7.8	8.0	1.1	7.2	1700	1300	NA	Satisfactory	
3	Balasure D/s	2424	10.11.2020	11:10 PM	21	7.2	7.2	1.1	7.2	2200	1700	NA	Satisfactory	
4	Hatiagond (Sona)	3942	10.11.2020	5:15 PM	21	7.9	8.0	1.0	7.2	2400	1300	NA	Satisfactory	

NA : Not analysed

River system : Vansadhara

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Muniguda	2426	18.11.2020	2:30 PM	20	8	6.8	<1	7.1	130	45	NA	Satisfactory	
2	Gunupur	2427	18.11.2020	4:25 PM	19	8.2	6.6	1	17.7	460	68	NA	Satisfactory	

NA : Not analysed

River system : Subarnarekha

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Rajghat	1641	10.11.2020	12:30 PM	23	7.8	7.6	1	7.2	1700	790	NA	Satisfactory	

NA : Not analysed

River system : Nagavali

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Penta U/s	2422	18.11.2020	10:15 PM	21	7.6	6.8	<1	7.1	230	78	NA	Satisfactory	
2	Jaykaypur D/s	1642	18.11.2020	8:45 AM	19	7.4	6.5	1.4	14.2	330	130	11	Satisfactory	
3	Rayagada D/s	1643	18.11.2020	7:45 AM	17	7.9	7.4	1.2	10.6	490	130	14	Satisfactory	

NA : Not analysed

River system : Kolab

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	River Kerandi (intake well of NALCO Refinery, HAL, Sunabeda)	2425	18.11.2020	3:32 PM	27	8	7.4	1	14.2	790	220	NA	Satisfactory	

NA : Not analysed

River system : Indravati

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Indravati at Nawarangpur	3948	18.11.2020	11:48 PM	26	7.7	7.3	1.8	10.6	940	230	NA	Satisfactory	

NA : Not analysed

River system : Bahuda

November, 2020

Sl. No.	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	FS, MPN/100 mL	WQI	Non-conforming parameter (s)
1	Bahuda at Damodarpally	3949	04.11.2020	9:10 AM	21	8.4	6.8	1.5	7.4	450	330	NA	Satisfactory	

NA : Not analysed

November, 2020

Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
SEA											
Gopalpur sea	2441	05.11.2020	8:59 AM	20	8.2	6.5	<1.0	37	45	20	
Swargadwara (Puri)	2439	05.11.2020	3:10 PM	30	8.3	7.6	1.5	36.7	230	130	
Pardeep sea	2440	04.11.2020	5:00 PM	28.9	8.0	7.2	1.1	37	330	130	

November, 2020

Name of Lake	LAKES											
	Name of Station	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Anshupa	Kadalibari	2438	04.11.2020	1:45 PM	25	7.9	7.4	1.5	11	1400	790	
	Bishnupur	3956	04.11.2020	1:10 PM	25	7.3	7	1.6	11	1700	1100	
	Subarnapur	3955	04.11.2020	12:50 PM	25	7.3	7.2	2.4	18.4	700	490	
	Sarandagarh	3957	04.11.2020	1:32 PM	25	7.5	6.4	1.2	11	1100	700	
Chilka	Rambha	3953	05.11.2020	10:24 AM	20	7.4	6.6	1.8	37	210	140	
	Satapada	2437	05.11.2020	12:05 PM	29	7.5	8.2	1.8	22	2200	1300	
Tampara	Tampara lake	3954	03.11.2020	2:28 PM	21	8.2	3.5	4.3	37	2800	1300	

November, 2020

Name of Station	CREEK										
	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Atharabanki creek	3961	04.11.2020	9:45 PM	28.9	6.8	2.2	6.2	25.9	950	490	

November, 2020

Name of Station	CANALS										
	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Talada canal	Jobra	2428	06.11.2020	12:35 PM	24	8.4	8.2	1.3	11	2200	1300
	Ranihat	3950	06.11.2020	12:50 PM	24	8.4	8.6	2.6	18.4	3500	2200
	Chhatrabazar	3951	06.11.2020	1:05 PM	28	8.5	8.4	1.6	7.3	2800	1700
	Nuabazar	2429	06.11.2020	1:30 PM	24	8.2	8.6	1.9	14.7	3500	1700
	Biribati	3952	06.11.2020	1:46 PM	26	8	9	1.3	14.7	3500	1300
	Atharabanki	2430	04.11.2020	10:15 PM	28.7	7.5	3	1.3	14.8	2200	790
Puri canal	Hansapal	3958	11.11.2020	5:00 PM	25	7.5	7.5	1.1	10.8	3500	1700
	Jagannathpur	3959	11.11.2020	1:40 PM	26	7.5	7.4	1.5	7.2	2800	2200
	Chandanpur	3960	06.11.2020	9:50 AM	29	8	7	1.7	14.7	2800	1700

November, 2020

Name of Station	PONDS										
	Code	Sampling date	Sampling Time	Water Temperature (°C)	pH	DO, mg/L	BOD, mg/L	COD, mg/L	TC, MPN/100 mL	FC, MPN/100 mL	
Binduasagar pond (Bhubaneswar)											
Lingaraj temple side	2431	06.11.2020	2:30 PM	23	7.9	9.6	1.4	11	1800	1100	
Ananta Vasudeva temple side		06.11.2020	2:55 PM	24	7.8	9.2	2.2	18.4	1300	790	
Gyananagar side		06.11.2020	1:55 PM	23	7.7	9.3	1.8	18.4	1700	700	
Kedarnath Research Centre side		06.11.2020	3:20 PM	25	8	10.1	2	18.4	1400	490	

Ponds in Puri

Narendra	2432	05.11.2020	4:20 PM	29	8.1	4.9	5	22	1800	1100
Markanda	2433	05.11.2020	4:45 PM	29	8	4.3	4.8	22	1400	790
Indradryumna	2434	05.11.2020	5:15 PM	28	8.5	5.6	3.8	18.4	1700	1300
Swetanganga	2435	06.11.2020	7:05 AM	27	8.2	4.7	5.7	25.7	2400	1300
Parbatisagar	2436	05.11.2020	2:10 PM	30	8.2	5.2	4.6	18.4	1100	790

Pond in Angul

Raniguda pond	3963	10.11.2020	3:30 PM	25	7.6	4.2	3.8	21.6	3500	2800
---------------	------	------------	---------	----	-----	-----	-----	------	------	------

Pond in Jeypore

Jagannathsagar Pond	3962	18.11.2020	1:04 PM	27	8.2	5.8	1.6	17.7	1300	790
---------------------	------	------------	---------	----	-----	-----	-----	------	------	-----